

Listing Company # 1

Contact ISW's Les Smith: lsmith@industeel.com or 312-720-3102 for listing company contact information

Description	Available
.125 X .375 OIL TEMP W/ ROUND EDGE	4,751.00
.031 X .084 MW WITH ROUND EDGE	2,266.00
.112 304 STAINLESS STEEL	1,817.00
.197 CHROME SILICON	1,530.00
.225 x .350 CHROME VANADIUM	1,354.00
.250 4140 ANNEALED	991.00
.244 MUSIC WIRE	679.00
.235 CHROME VANADIUM	611.00
.192 HARD DRAWN	517.00
.675 TITANIUM BETA C BAR	486.00
.142 OIL TEMPERED	480.00
.032 MUSIC WIRE MISSILE WIRE	410.00
.218 CHROME VANADIUM	408.00
.243 OIL TEMPERED	406.00
.0625 BRASS-HALF HARD	355.00
.043 MUSIC WIRE BEZINAL	354.00
.025 x 1.25 1095 BLUE TEMPER	348.00
.118 x .395 C1075 ANNEALED WITH ROUND EDGE	341.00
.120 BRIGHT BASIC	320.00
.060 MUSIC WIRE GALVANIZED PRECOZ	314.00
.048 MUSIC WIRE PRECO Z	304.00
.243 CHROME VANADIUM	267.53
.050 X 3.90 STAINLESS STEEL 301 HALF HARD	266.00
.250 TITANIUM BETA C	252.00
.283 OIL TEMPERED	244.00
.068 HARD DRAWN GALVANIZED	228.00
.393 TITANIUM BETA C	221.00
.044 X .080 MW WITH ROUND EDGE	210.00
.1055 OIL TEMPER	200.00
.250 OIL TEMPER - SQUARE	200.00
.0625 STAINLESS STEEL 302/304	189.00
.079 CHROME SILICON	160.00
.045 BEZINAL MUSIC WIRE	133.00
.207 OIL TEMPERED	116.00
.177 CHROME SILICON	102.80
.0808 PHOS BRONZE	100.90
.109 CHROME SILICON	100.00
.225 HARD DRAWN	100.00
.275 1065 ANNEALED	99.00
.106 HARD DRAWN-GALVANIZED	98.00
.071 HARD DRAWN GALVANIZED	85.00
.118 OIL TEMPERED	85.00

.375 STAINLESS STEEL 302/304	84.00
.125 CHROME SILICON VLAVE QUALITY	80.00
.060 MUSIC WIRE - GALVANIZED	76.00
.041 OIL TEMPERED	75.50
.056 CHROME SILICON	73.00

Listing Company # 2

Contact Lisa Kneppshield @ lkneppshield@industeel.com or 860-391-1985 for listing company contact information

Description	Available
.0254 SILVER CTD BE CU	41
.142 CHROME SILICON COMMERCIAL	26,612
.156 VALVE QLTY CHROME SILICON	26,053
.156 VALVE QLTY CHROME SILICON	39,000
.281 CHROME SILICON COMMERCIAL	4,000
.343 CHROME SILICON COMMERCIAL	4,200
.0196 PHOS MUSIC WIRE (RANGE: .0194"-.0198")	3,888
.034 PHOS MUSIC WIRE	2,546
.041 PHOS MUSIC WIRE	1,540
.070 PHOS MUSIC WIRE	2,072
.092 PHOS MUSIC WIRE	5,931
.092 PHOS MUSIC WIRE	2,922
.118 PHOS MUSIC WIRE	12,462
.154 PHOS MUSIC WIRE	6,187
.207 PHOS MUSIC WIRE	694
.022 GALVANIZED MUSIC WIRE	99
.026 GALVANIZED MUSIC WIRE	46
.039 GALVANIZED MUSIC WIRE	1,040
.059 GALVANIZED MUSIC WIRE	259
.059 PRECO-Z MUSIC WIRE	42
.057 GALV MUSIC WIRE	902
.036 PRECO Z MUSIC WIRE	17
.026 TYPE 302 ST ST	1,664
.076 TYPE 302 ST ST	1,597
.177 TYPE 302 ST ST	4,222
.020 TYPE 17-7 ST ST	616
.022 TYPE 17-7 ST ST	445
.022 TYPE 17-7 ST ST	320
.035 TYPE 17-7 ST ST	428
.045 TYPE 17-7 ST ST	1,290
.059 TYPE 17-7 ST ST	467
.177 TYPE 17-7 ST ST DFARS, Cert to AMS 5678	350
.177 TYPE 17-7 ST ST DFARS, Cert to AMS 5678	1,024

Listing Company # 3

Contact Eric Klein at eklein@industeel.com or 773-804-0404 for listing company contact information

Description	Available
.205 OT CR SI VALVE OTEVA91	45,883.2
.162" OT CR SI VALVE ASTM A877	54,802.0
.200" OT CR SI VALVE ASTM A877	48,474.8
.128 OT CR SI VALVE OTEVA 75	37,824.6
OT70SC/SHAVED/RD40/.2069	36,293.0
OTEVA75 0.1222X.1528MA SEC	24,009.0
.128 OT CR SI VALVE OTEVA 91	19,877.0
.051 HARD DRAWN ASTM A227 CII	66,310.2
.187 OT CR SI VALVE OTEVA 70	25,507.0
.220 OT CR SI VALVE OTEVA 91	15,693.0
.125 OT CR SI VALVE ASTM A 877	20,590.0
.192 OT CR SI VALVE OTEVA 70	20,561.0
.102" OT CR SI VALVE ASTM A877	17,001.6
.090 CRSI ASTM A877 GRADE A	14,623.0
.113" OT CR SI COMMERCIAL	23,067.0
.162 MUSIC WIRE ASTM A 228	48,771.8
.236 LOW CARBON 1008/1010	56,857.0
.212" OT CR SI VALVE ASTM A877	11,926.0
.243 CRSI ASTM A877 GRADE B	8,344.0
.148 CRSI ASTM A877 GRADE A	10,535.8
.086 CRSI ASTM A877 GRADE A	7,460.0
.203" OT CR SI VALVE ASTM A877	7,590.0
.125 MUSIC WIRE ASTM A 228	26,235.0
.0945 CR SI ASTM A 877	7,616.0
.283 CRSI ASTM A877 GRADE B	16,918.0
.262 OT CR SI VALVE OTEVA 91	5,898.0
.250 CRSI ASTM A877 GRADE B	6,901.0
.185 OT CR SI VALVE OTEVA 70	8,116.0
.0625 CR SI Grade A ASTM A877	5,918.0
.177 OT CR SI VALVE OTEVA 70	7,016.0
.105" OT CR SI VALVE WIRE	6,690.0
.113" OT CR SI VALVE ASTM A877	6,492.0
.046 EN 10270-2 TDSICR PENG G A	7,660.4
.135" OT CRSI VALVE ASTM A877GA	7,473.0
12mm STAINLESS TYPE 204Cu	10,700.8
.067 BEZINAL MUSIC WIRE	8,514.0
.162 CRSI ASTM A877 GRADE B	6,591.0
OT.0945 GRADE A	11,326.0
.207 MUSIC DIRECT WIR ASTM A228	25,093.0
.067 CRSI ASTM A877 GRADE A	4,470.0
.262 CRSI ASTM A877 GRADE B	4,162.0
.061 MUSIC WIRE ASTM A228	12,661.0
.394 LOW CARBON 1018	22,728.0

.105" OT CR SI COMMERCIAL	4,517.0
.055 OT CR SI VALVE ASTM A877	4,316.0
.043 CRSI ASTM A877 GRADE A	1,566.0
.051 EN 10270-2 TDSICR PENGK A	4,706.0
.099 MUSIC WIRE ASTM A 228	14,120.0
.075 OT CR SI COMMERCIAL	3,753.0
.949 OTCS ASTM A 1000	6,530.0
.315 LOW CARBON 1008/1010	15,893.0
.072" CRSI ASTM A401	4,431.0
OT75SC/SHAVED/RD40/.173	3,663.0
.049 MUSIC WIRE ASTM A228	9,031.0
.039 STAINLESS SS177NC SHAVED	1,217.0
.218 OT CR SI VALVE OTEVA 75	3,524.0
.076 MUSIC WIRE ASTM A228	12,214.0
.102 BLACK OT1% CHROME SILICON	4,290.0
.128 CRSI ASTM A877 GRADE A	3,157.0
.019 STAINLESS SS177NC SHAVED	574.0
.118 OT CR SI VALVE ASTM A877	3,199.0
.051 OT CR SI VALVE ASTM A877 A	2,761.0
.031 STAINLESS SS177NC	770.0
.086 STAINLESS SS177NC SHAVED	1,052.0
.128 MUSIC WIRE ASTM A 228	7,286.0
.026 STAINLESS SS177NC SHAVED	634.0
OT75.1535X.1279 GM2901M	2,640.0
OT.045 ASTM A877 Grade A	2,446.0
.209 LOW CARBON 1008/1010	13,970.0
.060 STAINLESS SS177NC SHAVED	959.0
.075 MUSIC WIRE ASTM A228	8,397.0
.170 OT CR SI VALVE ASTM A877	7,135.0
.0748 CRSI ASTM A877 GRADE A	3,989.0
.078 MUSIC WIRE ASTM A228	7,322.0
.045 STAINLESS SS177NC SHAVED	689.0
.256 MUSIC DIRECT WIRE	6,162.0
.343 CRSI ASTM A401	3,738.0
.225 MUSIC DIRECT WIRE ASTM A	5,337.0
.988 OTCS ASTM A 1000	3,137.0
.054 MUSIC WIRE ASTM A228	4,354.0
.080 CRSI ASTM A877 GRADE A	3,854.0
.012 STAINLESS TYPE 302NC	330.0
.076 STAINLESS SS177NC SHAVED	944.0
.1023 OTCS ASTM A 1000	2,637.0
.034 CRSI ASTM A877 GRADE A	715.0
.149" OTCRSI ASTM 1000 GRADE A	3,271.4
148 CRSI ASTM A401	1,364.0
.1496 LOW CARBON 1008/1010	7,840.8
.236 LOW CARBON ASTM A510	7,568.0
.135 MUSIC WIRE ASTM A 228	3,207.6

.095 MUSIC WIRE ASTM A228	4,551.8
.063 MUSIC WIRE ASTM A228	4,023.8
.065 MUSIC WIRE ASTM A228	4,800.4
.067 GALFAN MUSIC WIRE	3,698.2
.033 MUSIC WIRE ASTM A228	2,743.4
.071 MUSIC WIRE ASTM A228	4,340.6
.013 STAINLESS SS177NC SHAVED	168.1
.024 STAINLESS TYPE 302	796.4
.018 STAINLESS TYPE SS302NC	358.6
.118 MUSIC WIRE ASTM A 228	4,468.2
.188 CRSI ASTM A401	1,047.2
.041 OT CR SI VALVE ASTMA877	545.6
.144 MUSIC WIRE ASTM A 228	4,338.4
.045 MUSIC WIRE ASTM A228	2,862.2
.092 MUSIC WIRE ASTM A 228	4,373.6
.092 OT CR SI VALVE OTEVA 70	994.4
.130 MUSIC WIRE ASTM A 228	2,987.6
.032 STAINLESS SS177NC SHAVED	222.2
.096 MUSIC WIRE ASTM A 228	4,100.8
.095 OT CR SI COMMERCIAL	1,036.2
.0825 MUSIC WIRE ASTM A 228	3,410.0
.055 STAINLESS 17-7	572.0
.256 LOW CARBON 1008/1010	8,221.4
.1476 CRSI ASTM A877 GRADE A	924.0
.275 LOW CARBON 1008/1010	4,437.4
.047 MUSIC WIRE ASTM A228	2,446.4
.1135" OTCRSI VANADIUM WIRE	818.4
.177 OT CR SI VALVE ASTM A877	3,929.2
.051 MUSIC WIRE ASTM A228	1,991.0
.207 OT ASTM A229 CLASS II	1,476.2
.080 MUSIC WIRE ASTM A 228	1,711.6
.015 STAINLESS TYPE 302NC	343.2
.185 OT CR SI VALVE OTEVA91	501.6
.105 MUSIC WIRE ASTM A 228	2,827.0
.218 CRSI ASTM A401	682.0
.162 OTEVA75 GRADO B	589.6
.039 MUSIC WIRE ASTM A228	1,720.4
.071 GALFAN MUSIC WIRE	5,460.4
.037 STAINLESS TYPE 302NC	589.6
.122 OT CR SI VALVE	545.6
.276 MUSIC WIRE ASTM A 228	1,452.0
.058 CRSI ASTM A877 GRADE A7	385.4
.065 STAINLESS SS177NC SHAVED	244.2
.192 MUSIC WIRE ASTM A 228	2,125.2
.079 MUSIC WIRE ASTM A 228	2,446.4
.228 OT CR SI VALVE OTEVA 91	400.4
.087 GALFAN MUSIC WIRE	1,848.0

.043 STAINLESS SS177NC SHAVED	195.8
.010 STAINLESS STEEL TYPE 302	138.6
.218 OT ASTM A229 CLASS2	1,467.4
OTEVA75 OVATE .150x188	440.0
.142" CR SI VALVE ASTMA877 G	596.2
.177 LOW CARBON 1008/1010	2,354.0
.048 STAINLESS 17-7	200.2
OT70SC/SHAVED/RD40/.2000	418.0
.148 OT ASTM A229 CLASS1	671.0
.059 MUSIC WIRE ASTM A228	974.6
.071 MUSIC WIRE ASTM A228	1,097.8

Listing Company # 4

Contact Lisa Knepshield @ lknepshield@industeel.com or 860-391-1985 for listing company contact information.

Description	Available
087 Music Wire	775.0
.120 Music Wire (282-286) KPSI TENSIL	250.0
.125 Anneal 302 SS	183.0
.156 Basic Annealed C1075	1620.0

Listing Company # 5

Contact ISW's Juan Munoz: jmunoz@industeel.com or 773-745-2377 for listing company

Description	Available	Certs
.035 x .382 301 Stainless Flat Wire	48	Yes
.03 X .530 301 Stainless Flat Wire	18	No
.025 X .562 302 Stainless Flat Wire	2.5	No
0.025 X .437 302 Stainless Flat Wire	4.75	No
0.01 X .281 17-7 Stainless Flat Wire	4.5	No
.018 X .305 302 Stainless Flat Wire	1.5	No
.018 X .43 302 Stainless Flat Wire	2.5	No
.018 X .43 302 Stainless Flat Wire	4	No
.018 X .243 302 Stainless Flat Wire	2.5	No
0.02 X .382 301 Stainless Flat Wire	9.75	Yes
.04 X .382 301 Stainless Flat Wire	22	Yes
.032 X .375 302 Stainless Flat Wire	18.5	No
.035 X .539 302 Stainless Flat Wire	14.5	No
.018 X .305 302 Stainless Flat Wire	21	No
.035 X .376 302 Stainless Flat Wire	23.75	No
.03 X .539 301 Stainless Flat Wire	41	Yes
.03 X .382 302 Stainless Flat Wire	20	Yes
.04 X .302 301 Stainless Flat Wire	25	GIBBS LABEL
.032 X .562 301 Stainless Flat Wire	8	Yes
.025 X .382 301 Stainless Flat Wire	29	Yes
.04 X .376 301 Stainless Flat Wire	37	No

.031 X .5 301 Stainless Flat Wire	3.5	No
.04 X .531 301 Stainless Flat Wire	14	No
.035 X .538 302 Stainless Flat Wire	14.5	No
.03 X .476 301 Stainless Flat Wire	6	Yes
.025 X .307 301 Stainless Flat Wire	9	No
.03 X .476 301 Stainless Flat Wire	4.5	Yes
.02 X .476 301 Stainless Flat Wire	5.5	No
.031 X .5 301 Stainless Flat Wire	10.75	GIBBS LABEL
.025 X .539 301 Stainless Flat Wire	8	Yes
.02 X .476 301 Stainless Flat Wire	5	No
.02 X .476 301 Stainless Flat Wire	4	No

Listing Company # 6

Contact ISW's Mercedes Arellano: mgarellano@industeel.com for Listing company

Description	Available
5.0mm (.196) ASTM A228	13,961 KG (30,778lbs)
2.4mm (.0944) ASTM A228	8181 KG (18697 lbs)
2.88mm (.113) SWOSC-V	2246 KG (4951 lbs)
1.9mm (.0748) ASTM A401	2090 KG (4607 lbs)
3.0mm (.118) ASTM A877 Grade A	2023 KG (4459 lbs)
2.23mm (.0877) ASTM A401	1676 KG (3694 lbs)
1.57mm (.0618) ASTM A313 T302	1006 KG (2217 lbs)

Listing Company # 7

Contact: John Maser 708-325-1237

Description	Available
.131 1008 ASTM A510 PQ	10,000
.160 1008 ASTM A510 PQ	60,000
.176 1008 ASTM A510 PQ	30,000
.192 1008 ASTM A510 PQ	10,000
.192 1008 ASTM A510 PQ	50,000
.196 1008 ASTM A510 PQ	6,000
.218 1008 ASTM A510 PQ	10,000
.343 1008 ASTM A510 PQ	6,000
.375 1008 ASTM A510 PQ	48,000
.218 304 Stainless 1/4 Hard	11,000
.243 304 Stainless 1/4 Hard	1,000
.276 409 Stainless	2,800
.306 201 Stainless	6,000
.437 304 Stainless 1/4 Hard	1,000

Listing Company # 8

Contact ISW's Phil Skorko: phil@industeel.com for listing company

Description	Available
.058 304 Nickel	1506

Listing Company # 9

Contact ISW's Nallely Garcia: ngarcia@industeel.com for listing company

Description	Available
.106 VDSiCrV, EN10270-2,2,70	8543 KG
.028 Type 361, ASTM A313,0,711	1148 KG
.086 Grade A, ASTM A877,2,184	3531 KG
.138 FDSiCrV, 3,500 ESN High Tensile	5010 KG
.012 Type 302, ASTM A313,0,305	675 KG
.118 Music Wire, ASTM A228,2,997	3656 KG
.024 Type 302, ASTM A313,0,610	622 KG
.079 Music Wire, ASTM A228,2,007	2703 KG
.047 Type 302, ASTM A313,1,194	603 KG
.075 Music Wire, ASTM A228,1,905	1759 KG
.135 CrSi, ASTM A401,3,429	1502 KG
.072 Type 302, ASTM A313,1,829	427 KG
.025 CrSi, ASTM A401,0,635	352 KG
.043 N07090, AMS 5829,1,100	38 KG
.024 Type 631, ASTM A313, 0,610	159 KG
.040 Music Wire, ASTM A228,1,016	312 KG
.063 Type 631, ASTM A313,1,588	169 KG
.033 Music Wire, ASTM A228,0,850	299 KG
.080 Music Wire, ASTM A228, 2,032	553 KG
.135 Music Wire, ASTM A228,3,429	557 KG
.038 N07090, AMS 5829,0,965	16 KG
.089 Music Wire, ASTM A228,2,261	304 KG
.014 Type 316, ASTM A313,0,356	40 KG
.039 Type 631, ASTM A313,0,991	22 KG

Listing Company # 10

Contact ISW's Dawn DeVaul ddevaul@industeel.com for listing company

Description	Available
.030 Stainless Steel 17-7 Soap Coat	490 lbs
.0475 Stainless Steel 17-7 Soap Coat	2,033 lbs
.049 Stainless Steel 17-7 Soap Coat	1,938 lbs
.053 Stainless Steel 17-7 Soap Coat	5,533 lbs
.058 Stainless Steel 17-7 Soap Coat	11,044 lbs
.060 Stainless Steel 17-7 Soap Coat	4,143 lbs
.067 Stainless Steel 17-7 Soap Coat	8,2983 lbs

Listing Company # 11

Contact ISW's Juan Munoz at jmunoz@industeel.com

Description	Available
.013 Nickel Stainless Type 302 ASTM A313 (SPOOLS)	1000 lbs

KOS

Listing Company # 12

Contact ISW's Juan Munoz at jmunoz@industeel.com

Description	Available
.006 Tin Music Wire	6 lbs
.007 Tin Music Wire	17
.008 Tin Music Wire	20
0.009 Music Wire	75
.010 Tin Music Wire	95
.011 Tin Music Wire	2996
0.012 Tin Music Wire	290
.013 Tin Music Wire	8
.014 Tin Music Wire	10
.015 Tin Music Wire	735
0.016 Tin Music Wire	230
.017 Tin Music Wire	95
.018 Tin Music Wire	74
0.019 Tin Music Wire	750
.020 Tin Music Wire	213
.022 Tin Music Wire	30
.023 Tin Music Wire	40
.024 Tin Music Wire	33
0.0243 Tin Music Wire	12
0.025 Tin Music Wire	195
.026 Tin Music Wire	250
.027 Tin Music Wire	386
.028 Tin Music Wire	51
.029 Tin Music Wire	48
.030 Tin Music Wire	40
.032 Tin Music Wire	311
.033 Tin Music Wire	3430
.034 Tin Music Wire	358
.035 Tin Music Wire	40
.036 Tin Music Wire	126
.037 Tin Music Wire	58
.038 Tin Music Wire	630
.039 Tin Music Wire	27
.040 Tin Music Wire	241
.041 Tin Music Wire	748
.042 Tin Music Wire	391
.043 Tin Music Wire	10
.045 Tin Music Wire	404
.046 Tin Music Wire	20
.047 Tin Music Wire	181
.049 Tin Music Wire	140
.050 Tin Music Wire	28
.052 Tin Music Wire	640

.055 Tin Music Wire	100
.059 Tin Music Wire	65
.062 Tin Music Wire	748
.063 Tin Music Wire	345
.067 Tin Music Wire	1028
.070 Tin Music Wire	25
.071 Tin Music Wire	15
.075 Tin Music Wire	150
.080 Tin Music Wire	109
.081 Tin Music Wire	710
.082 Tin Music Wire	332
.091 Tin Music Wire	60
0.125 Tin Music Wire	334

Listing Company # 13

Contact ISW's Marty Yaloff marty@industeel.com

Description	Available
.006 Stainless 302	26
.007 Beryllium Copper	4
.013 X .098 Stainless 301	53
.019 Stainless 302	1395
.022 Stainless 17-7	8
.025 3/4 HD Phos Bronze	28
.026 Stainless 17-7	9
.026 Music Galvanized	388
.029 Music Galfan	60
0.029 Music Preco Z	31
.03 Music Galfan	257
.031 Stainless 302 Nickel	525
.0315 X .0315 Music Phos	50
.0315 Music Bezinal	504
.032 302 Bright	140
.041 HD Phos	64
.045 Music Corrostan	447
.046 Stainless 17-7	32
.047 Music Bezinal	250
.048 Music Bezinal	4785
.051 Stainless 17-7	59
.057 Stainless 302 Nickel	586
.0625 Basic Galvanized	134
.085 Stainless 302	145
.088 Music Phos	425
.0915 HD Bright	219
.098 HD Galvanized	206
.121 Stainless 316	197
.148 Stainless 304 1/8 Hard	208

.1905 C1018 AK	50,000
.258 C1010 AK	25,287

Listing Company # 14

Contact ISW's Lisa Knepshield lisaknep@aol.com

Description	Available	Certs
.035 X .382 Stainless 301	48	Y
.03 X .53 Stainless 301	18	N
.025 X .562 Stainless 302	2.5	N
.025 X .437 Stainless 302	4.75	N
.01 X .281 Stainless 17-7	4.5	N
.018 X .043 Stainless 302	2.5	N
.018 X .043 Stainless 302	4	N
.018 X .243 Stainless 302	2.5	N
.02 X .382 Stainless 301	9.75	Y
.04 X .382 Stainless 301	22	Y
.032 X .375 Stainless 302	18.5	N
.035 X .539 Stainless 302	14.5	N
.018 X .305 Stainless 302	21	N
.035 X .376 Stainless 302	23.75	N
.03 X .382 Stainless 302	20	Y
.04 X .302 Stainless 301	25	Y Gibbs
.032 X .562 Stainless 301	8	Y
.025 X .382 Stainless 301	29	Y
.04 X .376 Stainless 301	37	N
.031 X .5 Stainless 301	3.5	N
.04 X .531 Stainless 301	14	N
.035 X .538 Stainless 302	14.5	N
.03 X .476 Stainless 301	6	Y
.025 X .307 Stainless 301	9	N
.03 X .476 Stainless 301	4.5	Y
.02 X .476 Stainless 301	5.5	N
.031 X .5 Stainless 301	10.75	Y Gibbs
.025 X .539 Stainless 301	8	Y
.02 X .476 Stainless 301	5	N
.02 X .476 Stainless 301	4	N

Listing Company # 15

Contact ISW's Mercedes Garcia mgarellano@industeel.com

Description	Available
5.0 mm (.196") ASTM A228	13,961 KG (30,778 LBS)
2.40 mm (.0944") ASTM A228	8,481KG (18,697 LBS)
2.88 mm (.113") SWOSC-V	2,246 KG (4,951 LBS)
1.90 mm (.0748") ASTM A401	2,090 KG (4,607 LBS)
3.0 mm (.118") ASTM A877 Grade A	2,023 KG (4,459 LBS)
2.23 mm (.0877") ASTM A401	1,676 KG (3,694 LBS)

1.57 mm (.0618") ASTM A313 Stainless 302	1,006 KG (2,217 LBS)
--	----------------------

Listing Company # 16

Contact ISW's Juan Munoz jmunoz@industeel.com

Description	Available
.013" Stainless 302	133
.013" Stainless 303	126
.013" Stainless 304	130
.013" Stainless 305	135