

Listing Company #1

Contact ISW's Juan Munoz: jmunoz@industeel.com or 773-745-2377 for listing company

Description	Available	Certs
.035 x .382 301 Stainless Flat Wire	48	Yes
.03 X .530 301 Stainless Flat Wire	18	No
.025 X .562 302 Stainless Flat Wire	2.5	No
0.025 X .437 302 Stainless Flat Wire	4.75	No
0.01 X .281 17-7 Stainless Flat Wire	4.5	No
.018 X .305 302 Stainless Flat Wire	1.5	No
.018 X .43 302 Stainless Flat Wire	2.5	No
.018 X .43 302 Stainless Flat Wire	4	No
.018 X .243 302 Stainless Flat Wire	2.5	No
0.02 X .382 301 Stainless Flat Wire	9.75	Yes
.04 X .382 301 Stainless Flat Wire	22	Yes
.032 X .375 302 Stainless Flat Wire	18.5	No
.035 X .539 302 Stainless Flat Wire	14.5	No
.018 X .305 302 Stainless Flat Wire	21	No
.035 X .376 302 Stainless Flat Wire	23.75	No
.03 X .539 301 Stainless Flat Wire	41	Yes
.03 X .382 302 Stainless Flat Wire	20	Yes
.04 X .302 301 Stainless Flat Wire	25	Gibbs Label
.032 X .562 301 Stainless Flat Wire	8	Yes
.025 X .382 301 Stainless Flat Wire	29	Yes
.04 X .376 301 Stainless Flat Wire	37	No
.031 X .5 301 Stainless Flat Wire	3.5	No
.04 X .531 301 Stainless Flat Wire	14	No
.035 X .538 302 Stainless Flat Wire	14.5	No
.03 X .476 301 Stainless Flat Wire	6	Yes
.025 X .307 301 Stainless Flat Wire	9	No
.03 X .476 301 Stainless Flat Wire	4.5	Yes
.02 X .476 301 Stainless Flat Wire	5.5	No
.031 X .5 301 Stainless Flat Wire	10.75	Gibbs Label
.025 X .539 301 Stainless Flat Wire	8	Yes
.02 X .476 301 Stainless Flat Wire	5	No
.02 X .476 301 Stainless Flat Wire	4	No

Listing Company #2

Contact ISW's Mercedes Arellano: mgarellano@industeel.com for Listing company

Description	Available
-------------	-----------

5.0mm (.196) ASTM A228	13,961 KG (30,778lbs)
2.4mm (.0944) ASTM A228	8181 KG (18697 lbs)
2.88mm (.113) SWOSC-V	2246 KG (4951 lbs)
1.9mm (.0748) ASTM A401	2090 KG (4607 lbs)
3.0mm (.118) ASTM A877 Grade A	2023 KG (4459 lbs)
2.23mm (.0877) ASTM A401	1676 KG (3694 lbs)
1.57mm (.0618) ASTM A313 T302	1006 KG (2217 lbs)

Listing Company #3	
Contact: John Maser 708-325-1237	
Description	Available
0.08 1008 PQ	2,304
0.08 304 (1/4 HARD TEMPER) EPQ	363
0.091 1008 PQ	244
0.098 1008 PQ	1,570
0.135 1008 IQ	17,010
0.148 304 (HALF HARD TEMPER) EPQ	128
0.156 1008 PQ	26,000
0.156 304 (1/4 HARD TEMPER) EPQ	758
0.177 HARD DRAWN SPRING WIRE	482
0.182 1009 IQ	29,021
0.187 1008 Galvanized	1,737
0.187 201 EPQ	214
0.192 1008 IQ	45,287
0.196 1008 PQ	6,044
0.207 1008 Galvanized	2,526
0.207 HARD DRAWN SPRING WIRE	716
0.207 304 (1/4 HARD TEMPER) EPQ	1,468
0.207 NITRONIC 32 EPQ	977
304 (1/4 HARD TEMPER) EPQ	15,204
0.225 NITRONIC 32 EPQ	975
0.235 1008 IQ	187
0.243 1008 Galvanized	4,418
0.243 304 (1/4 HARD TEMPER) EPQ	1,130
0.25 1018 IQ	702
0.25 1018 PQ	1,448
.325 1008 PQ	2,076
.438 1008 PQ	109
SLIT COIL	
16 Guage .055 X 3.840 1008 #3 Slit	2,293

14 Gauge .075 X 2.110 1008 #3 Slit	3,689
------------------------------------	-------

Listing Company #4

Contact ISW's Phil Skorko: phil@industeel.com for listing company

Description	Available
.058 304 Nickel	1506

Listing Company #5

Contact ISW's Nallely Garcia: ngarcia@industeel.com for listing company

Description	Available
.106 VDSiCrV, EN10270-2,2,70	8543 KG
.028 Type 361, ASTM A313,0,711	1148 KG
.086 Grade A, ASTM A877,2,184	3531 KG
.138 FDSiCrV, 3,500 ESN High Tensile	5010 KG
.012 Type 302, ASTM A313,0,305	675 KG
.118 Music Wire, ASTM A228,2,997	3656 KG
.024 Type 302, ASTM A313,0,610	622 KG
.079 Music Wire, ASTM A228,2,007	2703 KG
.047 Type 302, ASTM A313,1,194	603 KG
.075 Music Wire, ASTM A228,1,905	1759 KG
.135 CrSi, ASTM A401,3,429	1502 KG
.072 Type 302, ASTM A313,1,829	427 KG
.025 CrSi, ASTM A401,0,635	352 KG
.043 N07090, AMS 5829,1,100	38 KG
.024 Type 631, ASTM A313, 0,610	159 KG
.040 Music Wire, ASTM A228,1,016	312 KG
.063 Type 631, ASTM A313,1,588	169 KG
.033 Music Wire, ASTM A228,0,850	299 KG
.080 Music Wire, ASTM A228, 2,032	553 KG
.135 Music Wire, ASTM A228,3,429	557 KG
.038 N07090, AMS 5829,0,965	16 KG
.089 Music Wire, ASTM A228,2,261	304 KG
.014 Type 316, ASTM A313,0,356	40 KG
.039 Type 631, ASTM A313,0,991	22 KG

Listing Company #6

Contact ISW's Dawn DeVaul ddevaul@industeel.com for listing company

Description	Available
-------------	-----------

.030 Stainless Steel 17-7 Soap Coat	490 lbs
.0475 Stainless Steel 17-7 Soap Coat	2,033 lbs
.049 Stainless Steel 17-7 Soap Coat	1,938 lbs
.053 Stainless Steel 17-7 Soap Coat	5,533 lbs
.058 Stainless Steel 17-7 Soap Coat	11,044 lbs
.060 Stainless Steel 17-7 Soap Coat	4,143 lbs
.067 Stainless Steel 17-7 Soap Coat	8,2983 lbs

Listing Company #7

Contact ISW's Juan Munoz jmunoz@industeel.com for listing company

Description	Available	Certs
.013 Nickel Stainless Type 302 ASTM A313 (SPOOLS)	1000 lbs	KOS

Listing Company #8

Contact ISW's Juan Munoz jmunoz@industeel.com for listing company

Description	Available
.006 Tin Music Wire	6
.007 Tin Music Wire	17
.008 Tin Music Wire	20
0.009 Music Wire	75
.010 Tin Music Wire	95
.011 Tin Music Wire	2996
0.012 Tin Music Wire	290
.013 Tin Music Wire	8
.014 Tin Music Wire	10
.015 Tin Music Wire	735
0.016 Tin Music Wire	230
.017 Tin Music Wire	95
.018 Tin Music Wire	74
0.019 Tin Music Wire	750
.020 Tin Music Wire	213
.022 Tin Music Wire	30
.023 Tin Music Wire	40
.024 Tin Music Wire	33
0.0243 Tin Music Wire	12
0.025 Tin Music Wire	195
.026 Tin Music Wire	250
.027 Tin Music Wire	386
.028 Tin Music Wire	51

.029 Tin Music Wire	48
.030 Tin Music Wire	40
.032 Tin Music Wire	311
.033 Tin Music Wire	3430
.034 Tin Music Wire	358
.035 Tin Music Wire	40
.036 Tin Music Wire	126
.037 Tin Music Wire	58
.038 Tin Music Wire	630
.039 Tin Music Wire	27
.040 Tin Music Wire	241
.041 Tin Music Wire	748
.042 Tin Music Wire	391
.043 Tin Music Wire	10
.045 Tin Music Wire	404
.046 Tin Music Wire	20
.047 Tin Music Wire	181
.049 Tin Music Wire	140
.050 Tin Music Wire	28
.052 Tin Music Wire	640
.055 Tin Music Wire	100
.059 Tin Music Wire	65
.062 Tin Music Wire	748
.063 Tin Music Wire	345
.067 Tin Music Wire	1028
.070 Tin Music Wire	25
.071 Tin Music Wire	15
.075 Tin Music Wire	150
.080 Tin Music Wire	109
.081 Tin Music Wire	710
.082 Tin Music Wire	332
.091 Tin Music Wire	60
0.125 Tin Music Wire	334

Listing Company #9	
Contact ISW's Marty Yaloff marty@industeel.com for listing company	
Description	Available
.006 Stainless 302	26
.007 Beryllium Copper	4
.013 X .098 Stainless 301	53

.019 Stainless 302	1395
.022 Stainless 17-7	8
.025 3/4 HD Phos Bronze	28
.026 Stainless 17-7	9
.026 Music Galvanized	388
.029 Music Galfan	60
0.029 Music Preco Z	31
.03 Music Galfan	257
.031 Stainless 302 Nickel	525
.0315 X .0315 Music Phos	50
.0315 Music Bezinal	504
.032 302 Bright	140
.041 HD Phos	64
.045 Music Corrostan	447
.046 Stainless 17-7	32
.047 Music Bezinal	250
.048 Music Bezinal	4785
.051 Stainless 17-7	59
.057 Stainless 302 Nickel	586
.0625 Basic Galvanized	134
.085 Stainless 302	145
.088 Music Phos	425
.0915 HD Bright	219
.098 HD Galvanized	206
.121 Stainless 316	197
.148 Stainless 304 1/8 Hard	208
.1905 C1018 AK	50,000
.258 C1010 AK	25,287

Listing Company #10		
Contact ISW's Lisa Knepshield lisaknep@aol.com for listing company		
Description	Available	Certs
.035 X .382 Stainless 301	48	Y
.03 X .53 Stainless 301	18	N
.025 X .562 Stainless 302	2.5	N
.025 X .437 Stainless 302	4.75	N
.01 X .281 Stainless 17-7	4.5	N
.018 X .043 Stainless 302	2.5	N
.018 X .043 Stainless 302	4	N
.018 X .243 Stainless 302	2.5	N

.02 X .382 Stainless 301	9.75	Y
.04 X .382 Stainless 301	22	Y
.032 X .375 Stainless 302	18.5	N
.035 X .539 Stainless 302	14.5	N
.018 X .305 Stainless 302	21	N
.035 X .376 Stainless 302	23.75	N
.03 X .382 Stainless 302	20	Y
.04 X .302 Stainless 301	25	Y Gibbs
.032 X .562 Stainless 301	8	Y
.025 X .382 Stainless 301	29	Y
.04 X .376 Stainless 301	37	N
.031 X .5 Stainless 301	3.5	N
.04 X .531 Stainless 301	14	N
.035 X .538 Stainless 302	14.5	N
.03 X .476 Stainless 301	6	Y
.025 X .307 Stainless 301	9	N
.03 X .476 Stainless 301	4.5	Y
.02 X .476 Stainless 301	5.5	N
.031 X .5 Stainless 301	10.75	Y Gibbs
.025 X .539 Stainless 301	8	Y
.02 X .476 Stainless 301	5	N
.02 X .476 Stainless 301	4	N

Listing Company #11

Contact ISW's Mercedes Garcia mgarellano@industeel.com for listing company

Description	Available
5.0 mm (.196") ASTM A228	13,961 KG (30,778 LBS)
2.40 mm (.0944") ASTM A228	8,481KG (18,697 LBS)
2.88 mm (.113") SWOSC-V	2,246 KG (4,951 LBS)
1.90 mm (.0748") ASTM A401	2,090 KG (4,607 LBS)
3.0 mm (.118") ASTM A877 Grade A	2,023 KG (4,459 LBS)
2.23 mm (.0877") ASTM A401	1,676 KG (3,694 LBS)
1.57 mm (.0618") ASTM A313 Stainless 302	1,006 KG (2,217 LBS)

Listing Company #12

Contact ISW's Juan Munoz jmunoz@industeel.com for listing company

Description	Available
.013" Stainless 302	133
.013" Stainless 303	126

.013" Stainless 304	130
.013" Stainless 305	135

Listing Company #13

Contact ISW's Phil Skroko phil@industeel.com for listing company

Description	Available
.315" Music Wire	30,000

Listing Company #14

Description	Available	Certs
.275" Stainless 304	225,00	Y

Listing Company #15

Contact ISW's Lisa Knepshield lisaknep@aol.com for listing company

Description	Available
.056" Stainless 7	3,632

Listing Company #16

Contact ISW's Juan Munoz jmunoz@industeel.com for listing company

Description	Available
0.045" (India) 302 Soap Coated Stainless Steel per ASTM A313	2,004
0.045" + .0005" / - 0" 302 Soap Coated Stainless Steel per ASTM A313 (MIN 0.045")	6,667
0.0475" (India) 302 Soap Coated Stainless Steel per ASTM A313	1,705
0.062" (India) 302 Stainless Steel per ASTM A313	1,493
0.067" 302 Soap Coated Stainless per ASTM A313	2,328
0.087" 302 Soap Coated Stainless per ASTM A313	2,215
0.105" 302 Soap Coated Stainless per ASTM A313	1,884
.0232" X .0232" Copper Alloy CDA110	1,574
0.207" Music Wire per ASTM A228	6,420
0.055" Zinc Plated Music Wire per ASTM A228	1,985

Listing Company #17

Contact Alex Johansson P:(815) 969-4129 | AWJ@SpecialtyScrew.com

Description	Available
.265" 410 AIP	1695
.450" 410 AIP	3237
.450" 410 AIP	766
.336" 430 AIP	998
.336" 430 AIP	1186
.336" 430 AIP	814
.320" 1006 SAFS	250
.118" 1010 SAIP	742
.343" 1010 SAFS	1660
.281" 1018 SAFS	4312
.281" 1018 SAFS	3244
.470" 1018 SAFS	2410
.525" 1018 SAFS	4541
.525" 1018 SAFS	4479
.275" 1022 SAFS	506
.385" 1022 SAFS	4294
.385" 1022 SAFS	4319
.460" 1085 SAFS	1195
.248" 4037 SAFS	1792
.272" 4037 SAFS	1160
.272" 4037 SAFS	1018
.272" 4037 SAFS	880
.272" 4037 SAFS	988
.430" 4140 AN/SAFS	4322
.430" 4140 AN/SAFS	4336
.430" 4140 AN/SAFS	4319
.430" 4140 SAFS	4278
.250" 6061 ALM	142
.333" 23MNB4 SAFS	2138
.333" 23MNB4 SAFS	2049
.333" 23MNB4 SAFS	1808
.333" 23MNB4 SAFS	946
.2115" 302HQ AIP	150
.240" 316L AIP	610
.240" 316L AIP	512
0.285" 1038 SAFS	1016
0.233" 4135 SAFS	7344
.240" 316L AIP	378
.250" A286 SAFS	410
.365" CDA110 COP	1720

Listing Company #18

Contact ISW's Juan Munoz jmunoz@industeel.com for listing company

Description	Available
0.098 1006/1008 PLATING QUALITY	1574
0.131 1006/1008 PLATING QUALITY	6000
0.135 1006/1008 INDUSTRIAL QUALITY	18000
0.156 1006/1008 PLATING QUALITY	8000
0.156 1006/1008 INDUSTRIAL QUALITY	1600
0.16 1006/1008 PLATING QUALITY	13000
0.162 1008 GALVANIZED	24000
0.162 1006/1008 INDUSTRIAL QUALITY	4300
0.182 1006/1008 INDUSTRIAL QUALITY	29000
0.187 1008 GALVANIZED	1800
0.187 1018 PLATING QUALITY	9000
0.187 201 S/S EPQ	159
0.192 1006/1008 INDUSTRIAL QUALITY	42000
0.207 1008 GALVANIZED	2600
0.207 304 S/S EPQ	1500
0.225 1006/1008 INDUSTRIAL QUALITY	1500
0.243 1008 GALVANIZED	4400
0.243 304 S/S EPQ	1100
0.312 304 S/S EPQ	392
0.325 1006/1008 PLATING QUALITY	2000
0.343 1006/1008 PLATING QUALITY	6600

Listing Company #19

Contact ISW's Lisa Knepsheid at 860-391-1985 for more information.

Description	Available
.080 SS 302	891

Listing Company #20

Contact ISW's Les Smith at lsmith@industeel.com for listing company.

Description	Available
.125" Hard Drawn MB Spr Wire x Coil	360
.162" Bright Basic Wire x Coil	1225
.236" Galv Basic Wire x	5576
.032" T 302 Stainless Wire x Coil	52

.138" Phos Music Wire x Coil	5722
------------------------------	------

Listing Company #21	
Contact Guy Jones at 205-663-6743 or guy@alabamawire.com .	
Description	Available
.091 Bright Basic (Midsouth)	2000

Listing Company #22		
Contact Shari Carpenter at 941-377-5766 or shari@cookspring.com		
Description	Available	Certs
.022" T 17-7 per ASTM A 313	1000	Y